

REVISION

ZONE	REV	DESCRIPTION	DATE	CHANGED BY	APPROVED
	B	ECO-15374	1/13/2026	DMAY	MMARTINEZ

F

F

E

E

D

D

C






C

B

B

A

A



QTY	PART NAME	DESCRIPTION
1	LT-468 COVER/BASE	8P8C ABS NOUL WH-S15
1	623K	8P ABS NOUL INSERT TYPE WH-S15
8	WIRE	UL 1061 PVC 26AWG 4X4 L=60MM W, O, BL, R, G, Y, BLU, BR
8	GOLD WIRE	FU" L=13MM 2PCS L=15MM 2PCS
8	2121 TERMINAL	COPPER PLATING
1	BAG (1)	50X30MM03 2 SCREWS IN ONE BAG
8	SCREW A	PWA3. 5X7. 5MM
2	SCREW B	PAB3. 5X20MM
1	DOUBLE GUM	50X40X2. 0MM
8	SMALL 'Y' TERMINAL	COPPER PLATING
1	BAG (2)	110X90MM04

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF INFINITE ELECTRONICS, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF INFINITE ELECTRONICS, INC. IS PROHIBITED. THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.

UNLESS OTHERWISE SPECIFIED
LEADING DIMENSIONS ARE INCHES
DIMENSIONS IN [] ARE MILLIMETERS

TOLERANCES:
 $X = \pm .2$ [5] FRACTIONS
 $XX = \pm .02$ [0.5] $\pm 1/32$
 $XXX = \pm .005$ [0.13] ANGLES $\pm 1^\circ$

CABLE LENGTH TOLERANCES:
 ≤ 12 [305] ± 1 [25] / -0
 > 12 [305] ≤ 60 [1524] ± 2 [51] / -0
 > 60 [1524] ≤ 120 [3048] ± 4 [102] / -0
 > 120 [3048] ≤ 300 [7620] ± 6 [152] / -0
 > 300 [7620] $= \pm 5\%$ / -0

ALL DIMENSIONS ARE FOR REFERENCE ONLY
AND SUBJECT TO CHANGE WITHOUT NOTICE
UN-DIMENSIONED/NON-CRITICAL FEATURES
MAY VARY IN SIZE AND LOCATION
COLORS MAY VARY

Show Me
CABLES
an INFINITB brand

Website: www.ShowMeCables.com
Phone: 1.888.519.9505



INTERPRET ALL DIMENSIONS AND
TOLERANCES PER ASME Y14.5

SCALE NONE SHEET 1 OF 1

DESCRIPTION
RJ45 8 CONDUCTOR SURFACE MOUNT BOX, SCREW
TERMINAL, 1 PORT, WHITE

SIZE A	CAGE CODE 3SVT8	DRAWN BY DMAY	ITEM NO. 15-100-033 WH	REV B
--------	-----------------	---------------	------------------------	-------