

6

5

4

3

2

1

F

E

D

C

B

A

F

E


D

C

B

A

REVISION				
ZONE	REV	DESCRIPTION	DATE	CHANGED BY
	B	ECO-14335	02/11/2025	DMAY
				APPROVED
				DGUST



## NOTES:

- CABLE:  
SJT 12AWG 3C 105°C 300V VW-1 JACKET: PVC, BLACK  
MARKING (NO.682): (UL) E135710-F5 SJT 3X12AWG 105°C 300V VW-1  
C(UL) SJT 3X3.31MM2(12AWG) 105°C 300V FT2
- ELECTRICAL CHARACTERISTICS:  
DIELECTRIC VOLTAGE WITHSTAND TEST: 1500V / 1 SEC  
CONDUCTOR RESISTANCE ≤ 5.69Ω/1000M AT 20°C  
VOLTAGE RATING: AC 300V AT 20°C.
- CABLE ASSEMBLY SHALL BE TESTED FOR CONTINUITY.
- CABLE ASSEMBLY SHALL BE INDIVIDUALLY PACKAGED.

REGULATORY COMPLIANCE:  
EU RoHS DIRECTIVE (MOST RECENT RELEASED VERSION).

ITEM NO.	LENGTH	
	METERS [MM]	FT [IN]
44-119-006	1.83 [±30]	6.0 [±1.18]
44-119-010	3.05 [±30]	10.0 [±1.18]
44-119-015	4.57 [±30]	15.0 [±1.18]

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF INFINITE ELECTRONICS, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF INFINITE ELECTRONICS, INC. IS PROHIBITED. THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.

6

5


4

3

2

1

UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE INCHES DIMENSIONS IN [ ] ARE MILLIMETERS	
TOLERANCES:	
X = ±.2 [5]	FRACTIONS ± 1/32
.XX = ±.02 [0.5]	ANGLES ± 1°
.XXX = ±.005 [0.13]	
CABLE LENGTH TOLERANCES:	
≤12 [305] = +1 [25] / -0	
>12 [305] ≤ 60 [1524] = +2 [51] / -0	
>60 [1524] ≤ 120 [3048] = +4 [102] / -0	
>120 [3048] ≤ 300 [7620] = +6 [152] / -0	
>300 [7620] = +5% / -0	
ALL DIMENSIONS ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE WITHOUT NOTICE. UN-DIMENSIONED/NON-CRITICAL FEATURES MAY VARY IN SIZE AND LOCATION COLORS MAY VARY	

<div><div>Show Me™</div><div>CABLES</div><div>an INFINIT® brand</div></div> <div>Website: <a href="http://www.ShowMeCables.com">www.ShowMeCables.com</a> Phone: 1.888.519.9505</div>			<div> INTERPRET ALL DIMENSIONS AND TOLERANCES PER ASME Y14.5</div> <div>SCALE NONE</div> <div>SHEET 1 OF 1</div>	
DESCRIPTION				
C20-C21 HIGH TEMP POWER CORD, 20 AMP				
SIZE A	CAGE CODE 3SVT8	DRAWN BY TDUFRENE	ITEM NO. 44-119-XXX	REV B