

Outdoor Fiber Enclosure Wall Mount 48 SC/UPC 0.9mm Single mode Pigtails

ECWB-48SC-WP



Features

- Painted Carbon Steel
- Low Profile Wall Mounted Fiber Enclosure
- 48 Simplex SC/UPC Couplers & 48 SC/UPC Pigtails included
- Routing guides to limit bend radius and enhance strain-relief control
- Waterproof IP54 design with gasket seal and secure lid latch with a set of 2-keys

Applications

- FTTH Access Networks
- Telecommunication Networks
- CATV Networks
- Data Communications Networks
- Local Area Networks

Description

Indoor/Outdoor Wall Mounted, Single Door Fiber Optic Distribution Management cross connect Enclosure is ideal for end terminations of fiber optic runs in residential or commercial buildings. The ECWB-48SC-WP comes with 48 Simplex SC/UPC Couplers installed with 48x SC/UPC Single mode Pigtails ready for splicing.

In addition to the fiber pigtails and couplers the ECWB-48SC-WP comes with a fiber optic splice tray & cable management which helps maintain a bend radius greater than 1.6 in [40mm]

This Wall Mounted configuration permits positive fiber management, connectivity and distribution 48 incoming Fiber Optic cables channels. All the cross connectivity functions of Splicing, Termination, and Interconnection for your plant, backbone and in-building fiber cabling can be included in the enclosures to protect and ease the organization of your installations. This Wall Mount enclosure provides a professional economical solution for protection of critical network components. This IP54 rated enclosure is fabricated of SPCC steel and includes door with a gasket seal, secure latch & rubber grommets for cable entry and exit to provide easy access

Mechanical Specifications

Size

| | | |
|--------------------|------------------------|-------------|
| Outer Height | 17.91 in | [454.91 mm] |
| Outer Width | 15.94 in | [404.88 mm] |
| Outer Depth | 4.72 in | [119.89 mm] |
| Weight | 16.5 lbs | [7.48 kg] |
| Enclosure Material | SPCC Cold Rolled Steel | |

Environmental Specifications

| | | |
|------------------------|-----------|-------|
| Temperature Continuous | -40 to 60 | deg C |
|------------------------|-----------|-------|

Outdoor Fiber Enclosure Wall Mount 48 SC/UPC 0.9mm Single mode Pigtails from Show Me Cables has same day shipment for domestic and International orders. Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications.

Outdoor Fiber Enclosure Wall Mount 48 SC/UPC 0.9mm Single mode Pigtails

ECWB-48SC-WP



URL: <https://www.showmecables.com/outdoor-fiber-enclosure-wall-mount-48-sc-upc-09mm-single-mode-pigtails-p.aspx>

The information contained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to implement improvements. Show Me Cables reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Show Me Cables does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Show Me Cables does not assume liability arising out of the use of any part or document.

ECWB-48SC-WP CAD Drawing

3