


## OWNER'S MANUAL: 2 Post Open Frame Rack 13U/25U/45U



Keep this information for further reference.

Thank you for purchasing a ShowMeCables product. If you have any questions regarding the installation or use of your product, please call us at 888-519-9505.








Please examine the product for any damaged parts. If any part is damaged or missing, contact ShowMeCables for assistance. Do not attempt to install or use product if it has been damaged.

During installation, lay product contents on cardboard or other protective surface to avoid any damage.

Improper installation or use of this product could result in damage to the product, other equipment, or personal injury. It is recommended that installation be performed by a qualified installer. ShowMeCables cannot be held responsible for damage to equipment or personal injury resulting from improper use or installation of product. If product is intended to store/mount equipment, please ensure the equipment stored/mounted does not exceed the specified weight capacity. Install the heaviest equipment first and install it at the bottom of the rack. Install equipment starting from the bottom of the rack and move upward.

**Limitations of Liability:** In no event will ShowMeCables, LLC. be liable for any damages, whether direct or indirect, special, punitive, incidental or consequential damages (including, but not limited to, lost profits or revenue, loss of use, lost business opportunities or loss of goodwill) or for the costs of procuring substitute products, arising out of or in connection with the use of the product, whether such liability arises from any claim based upon contract, warranty, tort (including negligence), product liability or otherwise, whether or not seller has been advised of the possibility of such loss or damage. In no event will seller's total cumulative liability, from all causes of action and all theories of liability, exceed the total amounts actually paid to seller by customer under the order that gives rise to any liability hereunder.

## 1. Parts Identification

			<p><b>A</b> Top Bracket (2) <b>B</b> Vertical Rack Rail (2) <b>C</b> Base Bracket (2)</p>
<p><b>D</b></p>  <p>3/8''-16 Hex Bolts (x12)</p>	<p><b>E</b></p>  <p>3/8''-16 Nuts Mounting Screws (x12)</p>	<p><b>F</b></p>  <p>Hook Mounting Screws 13U (x4) 25U (x8) 45U (x14)</p>	
<p><b>G</b></p>  <p>Cable Management Hooks 13U (x4) 25U (x8) 45U (x14)</p>	<p><b>H</b></p>  <p>Wrench (x1)</p>	<p><b>I</b></p>  <p>12-24 Mounting Screws Sliver(x28) Black(x28)</p>	

## 2. Rack Assembly

<p>The diagram illustrates the first step of the rack assembly. It shows two vertical rack rails (labeled B) being positioned. A base bracket (labeled C) is shown at the bottom. Hex bolts (labeled D) are being used to secure the rails to the base bracket, and nuts (labeled E) are being used to complete the connection. The assembly is shown from a perspective view.</p>	<p>Connect Vertical Rack Rails (B) to the Base Brackets (C) with 8 of the 3/8''-16 Hex Bolts (D) and 8 of the 3/8''-16 Nuts (E) using Wrench (H).</p>
<p>The diagram illustrates the second step of the rack assembly. It shows the two vertical rails from the previous step. Two top brackets (labeled A) are being attached to the top of the rails. Hex bolts (labeled D) and nuts (labeled E) are used to secure the brackets. The assembly is shown from a perspective view.</p>	<p>Connect Top Brackets (A) to the combined Vertical Rack Rails with 8 of the 3/8''-16 Hex Bolts (D) and 8 of the 3/8''-16 Nuts (E) using Wrench (H).</p>

### 3. Optional Cable Management Hooks

